ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

# SAFETY INFORMATION

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

- Product Code CTRCHO
- Product Name O&M CLEAN.tone Chocolate Colour Treatment 200ml

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

- Identified uses COSMETIC PRODUCT

### 1.3. Details of the supplier

SASI GROUP PTY LTD
Level 2,17 Eveleigh Street, Redfern NSW 2016 Australia

Tel: 1300 724 635
Tel: +61 2 9695 5000 (from overseas)
E: info@originalmineral.com
https://originalmineral.com.au

### 1.4. Emergency telephone number

AUS Contact : Poisons Information Centre 13 11 26
NZ Contact : Poisons Information Centre 0800 764 766
USA Contact : CHEMTREC 800 424 9300
Canada Contact: Poisons Information Centre Quebec 1800 463 5060
UK Contact: National Poisons Information Centre +44 121 507 4123
Germany Contact: Poison Control Centre +49 30 19240
Sweden Contact: Poisons Information Centre 010 456 6700
Switzerland Contact: Poisons Information Centre +41 145
Spain Contact: Poisons Information Centre +34 91 562 04 20
Denmark Contact: Poisons Control Centre +45 82 12 12 12

## SECTION 2: Hazards identification

### 2.1. Classification of the product

Eye Irrit. 2

Aquatic Chronic 3

Skin Sens. 1

### 2.2. Label according to (EC) 1272/2008

Pictogram:

Signal Word:

Warning

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

Hazard Statement:

EUH208 Contains LIMONENE may produce an allergic reaction

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long-lasting effectsPrecautionary statement (Disposal)

P501 Dispose of contents/container in accordance with local/ regional/national/international regulation Precautionary statement (Prevention)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands and other skin areas exposed to material thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection Precautionary statement (Response)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see Section 4 on this label).

P337 + P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

2.3. Additional hazards

Not Known

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

1-3 % STEARAMIDOPROPYL DIMETHYLAMINE

Eye Dam. 1 H318 – Aquatic Chronic 1 H410 – Aquatic Acute 1 H400 – Fattore M: 1

CAS#: 7651-02-7 EINECS#: 231-609-1

< 1 % PHENOXYETHANOL

Acute Tox. 4 H302 – Eye Irrit. 2 H319

CAS#: 122-99-6 EINECS#: 204-589-7

< 1 % LACTIC ACID

Skin Irrit. 2 H315 – Eye Dam. 1 H318

CAS#: 50-21-5 EINECS#: 200-018-0

< 1 % GERANIOL

Skin Sens. 1A H317 – Eye Irrit. 2 H319

CAS#: 106-24-1 EINECS#: 203-377-1

< 1 % ETHYLHEXYLGLYCERIN

Eye Dam. 1 H318 – Aquatic Chronic 3 H412 – Acute Tox. 4 H332

CAS#: 70445-33-9 EINECS#: 408-080-2

< 1 % CITRONELLOL

Skin Irrit. 2 H315 – Skin Sens. 1A H317 – Eye Irrit. 2 H319

CAS#: 106-22-9 EINECS#: 203-375-0

## SECTION 4: First aid measures

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

### 4.1. Description of first aid measures

Inhalation
Move victim to a well-ventilated place or into fresh air; in case of malaise get medical advice.

Skin contact
Wash off with plenty of water. Change clothing if necessary. If irritation persists, or tissue damage shows, seek for medical

Eye contact
Flush eyes under running water for a few minutes, keeping eyelids well opened. If pain persists, seek for medical advice.

Ingestion
Do not induce vomiting, unless after obtaining medical authorization to do so. Never give anything by mouth to an unconscious person. Consult a physician, showing the safety data sheet.

### 4.2. Main symptoms

Symptoms and effects known are reported in Section 2 and/or Section 11. Other effects are possible.

### 4.3. Indications for medical intervention and / or specific treatment

Treatments: symptomatic treatment.

## SECTION 5: Fire fighting measures

### 5.1. Extinguishing media
Water, CO2, foam, dry powder, depending on the materials affected by the fire.

### 5.2. Special hazards by the product/itself
In case of fire, carbon oxides can be released. In some case, if fire occurs, some dangerous combustion products can be released.

### 5.3. Advice for fire-fighters
Avoid breathing fumes.

Wear self-contained breathing apparatus if necessary.

## SECTION 6: Accidental release measures

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

**6.1. Personal precautions, protection equipment and emergency procedures:**

Wear self-contained breathing apparatus, gloves and protective clothes. Refer to Section 8.

**6.2. Environmental precautions**

Limit leakages and spillage with sand or soil.

**6.3. Methods e materials for containment**

Quickly collect the product wearing protective mask and clothing.

If the product is in a liquid form, prevent it goes into the sewer system. Collect the product for re-use if possible, or for the disposal. Eventually absorb with inert material.

After collecting residues, wash interested zone and materials with water.

**6.4. Reference to other sections**

Where appropriate, reference is made to sections 8 and 13.

## SECTION 7: Handling and storage

For transport, storage and handling only use suitable materials.

**7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice.

Avoid contact and inhalation of vapours. See also paragraph 8.

When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool and dry place. Avoid direct exposure to the sun. Keep away from open flames, sparks and other sources of ignition. No smoking. Make sure there is adequate ventilation.

**7.3. Specific final uses**

No data available

## SECTION 8: Exposure controls / personal protection

**8.1. Control parameters**

No data available

**8.2. Exposure control**

Personal protective equipment

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

General protective and hygienic measures.

At work do not eat, drink or smoke. Use of appropriate protection measures for hands, eyes, skin and respiratory system. The manufacturer of the protective equipment should ensure that the means are appropriate to the concerned product.

Respiratory protection

If threshold value for daily exposure in the workplace is exceeded, wear a half-mask type FFP3 (ref. STANDARD EN 141). In the case the substance is odorless or its olfactory threshold is higher than the relative exposure limit, or in case of emergency, i.e. when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear a compressed air breathing apparatus (EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (EN 138).

Hand protection

Protect your hands with gloves category II (ref. Dir. 89/686 / EEC and standard EN 374) such as PVC, nitrile, neoprene or equivalent.

Eye protection

Safety glasses with side shields (EN 166).

Additional information about design of technical facilities

Workplace must be adequately ventilated. Where possible, install localized air intake system and effective system for general air exchange.

If these measures are not sufficient to maintain concentrations of particulates and solvent vapors below the exposure limit, you will need to make use of appropriate respiratory protection.

## SECTION 9: Physical and chemical properties

Aspect: Emulsion

Colour: Dark Brown

Odour: Characteristic

Density: 0,970 - 1,010

Dry content (110 °C): 10,00 - 16,00

pH: 3,8 - 4,8

Viscosity, dynamic: 10000 - 30000

Flash point:

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

There are no data available on the product itself.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage (refer to paragraph 7).

### 10.3. Possibility of hazard reactions

None relevant.

### 10.4. Conditions to avoid

Avoid high temperatures. Keep the product away from open flames. Avoid to expose the container to the direct sunlight.

### 10.5. Incompatible materials

Strong acids, strong oxidants.

### 10.6. Hazardous decomposition products

The combustion can release carbon oxides.

## SECTION 11: Toxicological informations

No toxicological data available on the product itself. Consider then, the concentration of each substance in assessing the toxicological effects deriving from the preparation.

### 11.1. Information on toxicological effects

Set out below is the toxicological information relating to the main substances in the preparation:

BASIC YELLOW 87

LD 50 Oral rat: 1000 mg/Kg

ETHYLHEXYLGLYCERIN

LD 50 Oral rat: 2000 mg/Kg

LACTIC ACID

LD 50 Oral rat: 4936 mg/Kg

PHENOXYETHANOL

LD 50 Oral rat: 1260 mg/Kg

STEARAMIDOPROPYL DIMETHYLAMINE

LD 50 Oral rat: 5000 mg/Kg

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## SECTION 12: Ecological informations

Adopt good working practices, avoiding littering.

### 12.1. Toxicity

BASIC YELLOW 87

LC 50: 1,6 mg/l/96h

ETHYLHEXYLGLYCERIN

LC 50: 60,2 mg/l/96h

LACTIC ACID

LC 50: 130 mg/l/96h

PHENOXYETHANOL

LC 50: 500 mg/l/96h

### 12.2. Persistence

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Motility in soil

No data available.

### 12.5. Results of PBT e vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## SECTION 13: Disposal consideration

### 13.1. Methods of treatment of the waste

Operate in compliance with local and national regulations.

Contaminated packaging

Collect all residues and contaminated packaging. After an appropriate cleaning, packaging can be recycled.

Uncleaned packaging must be disposed of under the same requirements of the product.

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## SECTION 14: Transport informations

**14.1. UN Number:**

Non Hazardous.

**14.2. UN Proper Shipping Name:**

Non Hazardous.

**14.3. Transport Hazard Class(es):**

Non Hazardous

**14.4. Packaging Group:**

Non Hazardous.

**14.5. Environmental Hazards**

Marine pollutant: /

**14.6. Special Precautions for Users**

(ADR) Tunnel Restriction Code: /

(IMDG) EmS Number: /

(IMDG) Stowage and Segregation: /

**14.7. Trasport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:**

/

## SECTION 15: Regulator information

**15.1. Regulations**

Regulation (EC) 1907/2006 (REACH) and following amendments

Regulation (EC) 1272/2008 (CLP) and following amendments

Regulation (EC) 1223/2009 (Cosmetic Regulation) and following amendments
In the EU, finished cosmetic products are exempted from any obligation of classification and hazard labeling, as well as from provisions concerning safety data sheets [(Reg. (EC) 1907/2006, art. 2, comma 6, letter b) and Reg. (EC) 1272/2008 art. 1,comma 5, letter c)].

**15.2. Evaluation of chemical security**
No data available

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## SECTION 16: Other information

The data contained in this safety data sheet are based on our current knowledge and experience at the date indicated above.
The user must verify the suitability and completeness of such information, in relation to the particular use intended.
This safety data sheet cancels and replaces any previous releases of the same.
According to Regulation (EC) N° 1907/2006 (REACH) with its amendment Regulation (EC) N° 2015/830
Sources of Key Data:
Regulation (EC) N° 1272/2008 and Regulation (EC) N° 1907/2006, with following amendments
Full text of hazard categories and H and EUH statements:

Acute Tox. 4 Acute toxicity (inhalation) Cat. 4

Acute Tox. 4 Acute toxicity (oral) Cat. 4

Aquatic Acute 1 Hazardous to the aquatic environment - acute toxicity Cat. 1

Aquatic Chronic 1 Hazardous to the aquatic environment - chronic toxicity Cat. 1

Aquatic Chronic 2 Hazardous to the aquatic environment - chronic toxicity Cat. 2

Aquatic Chronic 3 Hazardous to the aquatic environment - chronic toxicity Cat. 3

Eye Dam. 1 Serious eye Damage Cat. 1

Eye Irrit. 2 Eye irritation Cat. 2

Flam. Liq. 3 Flammable liquid Cat. 3

Skin Irr. 2 Skin irritation Cat. 2

Skin Sens. 1 Skin Sensitization Cat. 1

STOT RE Cat. 2 STOT RE Cat. 2

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H332 Harmful if inhaled

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

H373 May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long-lasting effects

H412 Harmful to aquatic life with long-lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Irrit. 2 H319 Calculation method

Aquatic Chronic 3 H412 Calculation method

Skin Sens. 1 H317 Calculation method

ABN 45 125 823 305
Level 2, 17 Eveleigh St
Redfern NSW 2016
Australia
T:1300 724 635
T:+61 2 9695 5000(from overseas)

## Acronyms:

ADR Accord européen relatif au transport international des merchandises Dangereuses par Route

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

EC European Community

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

EN European Norm

EU European Union

FFP Filtering Facepiece

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LD (0/50/100) Lethal Dose (0/50/100)

N.A. Not Applicable

N.D. No Date

PBT Persistent, Bioaccumulative and Toxic

PVC PolyVinylChloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemical Substances

UN United Nations

vPvB very Persistent very Bioaccumulative