

SAFETY DATA SHEET

Product Name Thickening And Plumping Spray (Leave-In spray) Zenagen

SECTION 1: Chemical Product and Company Identification

Product Name Thickening And Plumping Spray (Leave-In spray) Zenagen

Formula ID H-588

GENERAL USE:

PRODUCT DESCRIPTION:

ManufacturersName

Dhaliwal Laboratories, LLC.

DatePrepared

July 26, 2017

Address (Number, Street, P.O. BOX)

11910 Shiloh Road, Suite 130

InformationTelephone

214.446.5862

City

Dallas

ZipCode

75228

State

TX

County

Dallas

EmergencyTelephone

214-446-5847



SECTION 2: Hazard Identification

Emergency Overview

GHS Classification

Non Hazardous

GHS Label element

Not Classified

Hazard Pictograms



Signal Word

Warning

Hazard Statements

Slightly Hazardous H317 May Cause an allergic skin reaction

Will not Burn

Stable

Physical Hazard

Precautionary Statements

Prevention: Wash Skin thoroughly after Handling.


Wear eye Protection/Face Protection

Response

If in Eyes: Rinse Cautiously with water for several minutes. Remove Contact Lenses, if present and easy to do. Continue rinsing.

If eye Irritation persists: get medical advise/Attention.

NFPA



Substances

Material does not meet the criteria of a substance

Mixtures

Hazardous Components

Material does not meet the criteria of a substance

SECTION 3: Composition/Information on Ingredients

HAZARDOUS COMPONENTS	% (by weight)	CAS#	LD50_LC50	Classification According to Regulation/Directive
N/A	N/A	N/A	N/A	N/A

SECTION 4: First Aid Measures

INHALATION:	Remove affected person to fresh air;provide oxygen if breathing is difficult;if affected person is not breathing,administer CPR,seek emergency medical attention
SKIN CONTACT:	Remove contaminated clothing;wash affected area with soap and water;launder contaminated clothing before reuse;if irritation persists seek medical attention.
EYE CONTACT:	Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eye lids open; If irritation persists seek medical advice.
INGESTION:	Give 2-glasses of water for dilution;induce vomiting by sticking finger down throat;never give anything by mouth to an unconscious person;seek medical attention

Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological information

Indication of any immediat medical attention and special treatment needed

Notes to Physician

None

SECTION 5: Fire-Fighting Measures

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the Surrounding environment. Water Spray Foam Carbon Dioxide (CO2) Dry Chemical
-------------------------------	--

UnSuitable Extinguishing Media:

High Volume Water Jet

Specific Hazard During firefighting:

If product is heated above its flash point, It will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.

Do not allow run-off from fire fighting to enter drains or water courses.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon dioxide and carbon monoxide

Specific exitinguishing Methods:

Product is compatible with standard fire-fighting agents.

Further Information:

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations

Special Protective Equipment for FireFighters:

In the event of fire, wear self contained breathing apparatus.

Product Name Thickening And Plumping Spray (Leave-In spray) Zenagen

SECTION 6: Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Dispose of through an authorized company. Prevent environment contamination. Dispose through authorized Company

SECTION 7: Handling and Storage

HANDLING AND STORAGE:

Store at room temperature under normal conditions.

SECTION 8: Exposure Controls /Personal Protection

Components with workplace control parameters

Engineering Measures: Provide Sufficient Mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal Protective Equipment: Not Relevant

Remarks: Not Relevant

Special instructions:

Eye Protection Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and Body Protection Wear as appropriate:
impervious clothing
Safety Shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (Consult your Safety equipment supplier.)

Hygiene Measures Wash Hands before breaks and at the end of workday.
When using do not eat or drink.
When using do not smoke.

SECTION 9: Physical and Chemical Properties

APPEARANCE AND ODOR: Slight Hazy to Clear Liquid & Chaacteristic

SPECIFIC GRAVITY: 0.800 - 0.900

SOLUBILITY IN WATER:

BOILING POINT: N/A

VISCOSITY: Water Thin

VAPOR DENSITY(AIR=1): N/A

EVAPORATION RATE (Water=1): N/A

Flash Point:

pH: 6.00-7.00

%VOLATILE(BY WEIGHT):

Product Name	Thickening And Plumping Spray (Leave-In spray) Zenagen
VAPOR PRESSURE:	N/A
FREEZING POINT:	N/A
VOLATILE ORGANIC COMPOUNDS(VOCs):	N/A

SECTION 10: Stability and Reactivity

STABILITY:	Stable
CONDITIONS TO AVOID:	Extreme Temperatures, Open flames, Sparks
INCOMPATIBILITIES (MATERIAL TO AVOID:	Strong oxidizers, Strong acids
HAZARDOUS DECOMPOSITION OR BY PRODUCTS	Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced
HAZARDOUS POLYMERIZATION:	MAY OCCUR WILL NOT OCCUR:X

SECTION 11: Toxicological Information

HAZARDOUS INGREDIENTS:	N/A
CAS#:	N/A
EINECS#:	N/A
LD50 OF INGREDIENT SPECIES AND ROUTE:	N/A
LD50 OF INGREDIENT SPECIES :	N/A

SECTION 12: Ecological Information

Toxicity	Material Data Lacking
Persistence and Degradability	Material Data Lacking
Bioaccumulative Potential	Material Data Lacking
Mobility in Soil	Material Data Lacking
Other Adverse Effects	Material Data Lacking
Other Information	No data is available on the adverse effects of this material on the environment. Aquatic toxicity values are expected to be in the range of 1-10 mg/l based upon data from components and similar products

ECOLOGICAL INFORMATION:

SECTION 13: Disposal Considerations

DISPOSAL CONSIDERATION:

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. This product may produce hazardous vapors in a closed disposal container creating a dangerous environment. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

SECTION 14: Transport Information

DOT:

UN Number:

UN Proper Shipping Name:

Transport Hazard Class(es):

Class:

Label(s):

Packing group:

Marine Pollutant:

Special Precautions for Use:

Finished Packaged Product Transported by Ground(DOT):

Finished Packaged Product Transported by Ground(IMDG):

Finished Packaged Product Transported by Ground(IATA):

SECTION 15: Other Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications Acute, Fire

State Right To Know				Inventory		
Component	MA	NJ	PA	Canada DSL	Canada NDSL	TSCA
None	None	None	None	None	None	None
Canada Labor						
Canada -WHMIS-Classification of substances						
Component						
None						
Canada -WHMIS-Ingredient Disclosure List						
Component						
None						
Environment						
Canada -CEPA-Priority substance List						
Component						
None						
United States						
U.S-OSHA- Process Safety Management-Highly Hazardous Chemicals						
Component						
None						
U.S-OSHA- Specifically Regulated Chemicals						
Component						
None						

Product Name

Thickening And Plumping Spray (Leave-In spray) Zenagen

Environment

U.S-CAA (Clean Air Act)- 1990 Hazardous Air Pollutants
U.S-CERCLA/SARA-Hazardous Substances and their Reportable Quantities
U.S-CERCLA/SARA-Section 302 Extremely Hazardous Substances EPCRA RQs
U.S-CERCLA/SARA-Section 302 Extremely Hazardous Substances TPQs
U.S-CERCLA/SARA-Section 313-Emission Reporting
U.S-CERCLA/SARA-Section 313-PBT Chemical Listing

United States-California**Environment**

U.S-California-Proposition 65-Carcinogens List
U.S-California-Proposition 65-Developmental Toxicity
U.S-California-Proposition 65-Maximum Allowable Dose Levels (MADL)
U.S-California-Proposition 65-No Significant Risk Levels (NSRL)
U.S-California-Proposition 65-Reproductive Toxicity-Female
U.S-California-Proposition 65-Reproductive Toxicity-Male

United States-Pennsylvania**Labor**

U.S-Pennsylvania-RTK(Right to Know)-Environment Hazard List
U.S-Pennsylvania-RTK(Right to Know)-Special Hazard Substances

United States-Rhode Island**Labor**

U.S-RHODE Island-Hazardous Substance List

SECTION 16: Other Information**REVISION SUMMARY:**

Document Created: 07/26/2017

MSDS Prepared by:
Varsha Nainani
Dhaliwal Labs

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximity caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.