

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 1 of 6)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1: IDENTIFICATION

Manufacturer's Name: GAR Laboratories Chemical Family : Proprietary Mix
Address: 1844 Massachusetts CAS# N/A
City, State, Zip: Riverside, CA 92507
Business Telephone: TEL(951)788-0700
Chemtrec Emergency Telephone # (800)424-9300

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25: 0.950 -1.010 Boiling Point: 101-103 Deg C.
Vapor Pressure: 760mm Hg Physical State: Cream/Liquid
Odor: Fragrant Vapor Density [Air =1] : 1
Solubility in Water: Soluble

SECTION 3: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F): 400
Extinguishing Media: [X]Water []CO₂ []Dry Chemical []Foam []Water Fog
Special Fire Fighting Procedures : NO Unusual Fire and Explosion Hazards :
Product is 99% water 1% Fire inert ingredients.
Fire fighters to cool fire-exposed containers, use blanketing effect.

NFPA FLAMMABILITY CODE : 0

SECTION 4: REACTIVITY DATA

Stability: Presents no significant reactivity hazard, not pyrophoric nor
reactive with water.

Incompatibility (Materials to avoid): Avoid strong oxidizers.

Hazardous Combustion or Decomposition Products: Product Will Not Burn

Hazardous Polymerization: Will not undergo spontaneous exothermic
polymerization.

NFPA REACTIVITY CODE: 0

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 2 of 6)

SECTION 5: SPILL OR LEAKAGE PROCEDURES

Cleanup of spills or accidental release of material:

Wear MSHA/NIOSH approved respirator. Self-contained breathing apparatus preferred. Dike and contain spill with inert materials (sand, earth etc.) Keep spills out of sewers and open bodies of water. Extremely toxic to fish and wildlife.

Waste Disposal Methods :

Incineration or sanitary landfill in accordance with local, state and federal regulations and consistent with good ecological practices.

SECTION 6: SPECIAL PROTECTION INFORMATION

Respiratory: Use NIOSH/MSHA Approved Respirator if TLV is exceeded

Ventilation: General Mechanical

Protective Gloves : N/A, Product is for hair care use.

Eye Protection : Splash proof goggles if handling methods warrant them.

Other Protective Equipment : Wear MSHA/NIOSH approved respirator.

SECTION 7: EMERGENCY AND FIRST AID PROCEDURES

Eye (contact) : In the event of accidental contact with eyes, irrigate copious amounts of water; if irritation persists obtain medical advice.

Skin (contact): Remove contaminated clothing. Flush exposed areas with copious amounts mild soap and water. PRODUCT NON-TOXIC and is made for skin and hair use.

Ingestion : Immediate soapy taste in mouth and throat, product will act as mild laxative NO TOXICITY PRESENT.

SECTION 8: EXPOSURE DATA

Primary route of exposure : Skin Contact & Possible Inhalation

The approximated vapor pressure of the mixture is sufficiently high enough to be a significant route of exposure.

OSHA PEL : Not Determined

ACGIH TLV : Not Determined

Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 3 of 6)

SECTION 9: HEALTH HAZARDS

The identity of the individual components of this mixture is proprietary information and is regarded to be a TRADE SECRET.

In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater than 10% concentration.

Listed below are the health hazards for all of the materials present of 10% concentration and that undiluted have health hazards associated with them. Please note that not all the components of the mixture have health hazards associated with them. In the event of a medical emergency the identity of all the components will be divulged to a qualified health professional.

The following effects were concluded as a result of laboratory testing on one or more of the individual components. The relevancy to the mixture or to humans is unknown. Excessive exposure may cause similar effects.

REPEATED DAILY DOSES ORALLY & DERMALLY CAUSED NO DAMAGE TO NERVOUS SYSTEM.

NON-TOXIC, PROLONGED SKIN CONTACT CAUSED NO LONG TERM ADVERSE HEALTH EFFECTS.

REPEATED LARGE DAILY ORAL DOSING OF CAUSED MILD LIVER DAMAGE.

REPEATED LARGE DAILY ORAL DOSING OF CAUSED MILD KIDNEY DAMAGE.

PROLONGED IMMERSION AGAINST SKIN, AT FULL STRENGTH CAUSED NO IRRITATION.

MAY BE AN EYE IRRITANT.

REPEATED ORAL DOSING INCREASED OCULAR TENSION.

REPEATED LARGE DAILY APPLICATION TO SKIN CAUSED NO REPRODUCTIVE EFFECTS.

The following effects were concluded as a result of human testing and observation of one or more of the individual components.

BOILING LIQUID AND VAPOR ARE NON-IRRITATING TO THE SKIN.

BOILING VAPOR IS MILDLY IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF VAPOR MAY CAUSE ANESTHETIC EFFECTS.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 4 of 6)

SECTION 10: STABILITY AND REACTIVITY

Conditions to Avoid: No Applicable information has been found

SECTION 11: TOXICOLOGICAL INFORMATION

This is a personal care product that is safe for consumer and other users under intended and reasonable use.

Chronic Effects: Finished product is not expected to have chronic health effects

Target Organs: No adverse health effects on target organs expected for finished product

Carcinogenicity: Finished product is not expected to be carcinogenic
NTP: No IARC: No OSHA: No

SECTION 12: ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentration predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with Federal, State/Provincial and Local regulations.

For Household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution

For Non-Household Settings: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to the Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.

California Waste Code: 331

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 5 of 6)

SECTION 14: TRANSPORTATION INFORMATION

Finished packaged product transported by ground (DOT): Non hazardous

Finished packaged product transported by vessel (IMDG): Non hazardous

Finished packaged product transported by air (IATA): Non hazardous

SECTION 15: ADDITIONAL REGULATORY INFORMATION

EU DPD (Dangerous Products Derivative) Classification (DPD 88/379/EEC).

Regulated as a Cosmetic and/or Drug under FDA (US), HPB (Canada), Cosmetic Directive, (EU), MHW (Japan) and MOH (China)

US Federal

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug & Cosmetic Act and is safe to use per directions on container, box or accompanying literature (where applicable).

US State

CA Prop 65:

This product is not subject to warning labeling under California Proposition 65

Other

Perfumes contained within the products covered by this MSDS comply with the appropriate IFRA guidance.

SECTION 16: ADDITIONAL REGULATORY INFORMATION

DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. GAR Labs assumed not responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

MATERIAL SAFETY DATA SHEET

CUSTOMER NAME: OPEN DOOR
PRODUCT NAME: KM ANGEL MASQUE PMS 664U
FORMULA #: 10049-02

Page 6 of 6)

SECTION 17: OTHER INFORMATION

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
PERSONAL PROTECTION EQUIPMENT: Gloves and Safety Glasses

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0

ABBREVIATIONS:

NA Not Applicable ND Not Determined
NE Not Established

pm Part per million G Gallon
mg Milligram L Liter
gm Gram mol Mole
kg Kilogram u Micro
Pa Pascals p Pico

LC Lethal Concentration LD Lethal Dose
TC Toxic Concentration TD Toxic Dose
BOD Biological Oxygen Demand COD Chemical Oxygen Demand
TLm Threshold Limit
DOC Dissolved Organic Carbon

H Hours M Months
D Days Y Years
W Weeks

ACGIH American Conference of Governmental Industrial Hygienist
CPR Controlled Product's Regulation
DSL Canadian Domestic Substances List
NDSL Canadian Non-Domestic Substance List
IARC International Agency for Research for Cancer
NOEL No Observed Effect Level
NOAEL No Observed Adverse Effect Level
OSHA Occupational Safety and Health Administration
PEL Permissible Exposure Limit
TLV Threshold Limit Value

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.